





Product Declaration - BREEAM International New Construction 2016

MANUFACTURER	BPA-GmbH Herrenberg
PRODUCT NAME	BPA-CEM 805
PRODUCT CHARACTERISTICS	BPA-CEM 805 is a one-component, odorless adhesive / sealant which reacts with atmospheric moisture to create an elastic vulcanized rubber seal. It is free of solvents, silicones and isocyanates. BPA-CEM 805 has a neutral cure, is compatible with paints and features excellent chemical resistance.



BPA-GmbH
Behringstrasse 12
D-71083 Herrenberg-Gültstein
Germany

Product Rating

BREEAM Category	BREEAM Assessment Issue	Max. influenced score	Fulfillment
- The product contributes toward satisfying HEA 02 "Indoor air quality" under BREEAM.			
Health and Wellbeing	HEA 02: Indoor air quality		
	Emissions from building products	1 Credit	
	Emissions from building products (Exemplary Level)	1-2 Credit	
Materials	MAT 01: Life cycle impacts		
	Environmental product declarations (EPD)	1-6 Credits	
	MAT 03: Responsible sourcing of materials		
	Responsible sourcing of construction products	1-4 Credits	

About BREEAM and Products - www.breeam.com

This declaration helps to assess products easily according to the certification system BREEAM International New Construction 2016. Products are not reviewed or certified by BREEAM. BREEAM credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information about BREEAM visit www.breeam.com. The project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve BREEAM credits. Below you find an explanation of the symbols. Detailed information are on the next pages.

HEA 02: Indoor air quality

1/2

Intent

To recognise and encourage a healthy internal environment through the specification and installation of appropriate ventilation, equipment and finishes.

Requirement

Emissions from building products

At least four of the five product types meet the emission limits, testing requirements and any additional requirements. Paints used in wet areas (e.g. bathrooms, kitchens, utility rooms) should protect against mould growth. (1 Credit)

Product types:

- Interior paints and coatings
- Wood-based products
- Flooring materials (including floor levelling compounds and resin flooring)
- Ceiling, wall, and acoustic and thermal insulation materials
- Interior adhesives and sealants (including flooring adhesives)

An additional credit can be achieved if four of the five product types meet the emission limits of the exemplary level. If all product categories meet the requirements for the exemplary level, two additional credits can be achieved. (1-2 credits)

Detailed Rating

No.	General Information			Emission (after 28 days)						Compliance	
	Product name	Manufacturer	Mass [%]	Formaldehyde [mg/m ³]		TVOC [mg/m ³]		Cat. 1A + 1B [mg/m ³]			Protection against mould growth
				Actual	Allowable	Actual	Allowable	Actual	Allowable		
	BPA-CEM 805	BPA-GmbH Herrenberg	100%	see below						✓	
	BPA-CEM 805	BPA-GmbH Herrenberg	100%	EC1+	0,06 *	EC1+	1,0	EC1+	0,001	N/A (only relevant for paints)	✓

* For MDF the allowable limit for formaldehyde is ≤ 0.08 mg/m³.



Other remarks on classification

The product is certified with the EMICODE EC1 Plus and thus meets the requirements of BREEAM for emissions.

HEA 02: Indoor air quality

2/2

Detailed Rating Exemplary Level

No.	General Information			Emission Exemplary Level (after 28 days)										Compliance
	Product name	Manufacturer	Mass [%]	Formaldehyde [mg/m ³]		TVOC [mg/m ³]		TVOC-content [g/l]		TSVOC [mg/m ³]		Cat. 1A + 1B [mg/m ³]		
				Actual	Allowable	Actual	Allowable	Actual	Allowable	Actual	Allowable	Actual	Allowable	
	BPA-CEM 805	BPA-GmbH Herrenberg	100%	see below										
1	BPA-CEM 805	BPA-GmbH Herrenberg	100%	EC1+	0,010	EC1+	0,300	N/A	10 *	EC1+	0,100	EC1+	0,001	

* Product category: N/A (The TVOC-Content is only relevant for paints and coatings)

MAT 01: Life cycle impacts**Intent**

To recognise and encourage the use of (robust and appropriate life cycle assessment tools and consequently the specification of) construction materials with a low environmental impact (including embodied carbon) over the full life cycle of the building.

Requirement

Environmental Product Declaration (EPD) can be used in Credit "MAT 01: Life cycle impacts" for the calculation of the Life-Cycle Assessment of the building. If no EPD existst, generic datasets will be used. (5 Credits)

Where a range of at least five products specified at Design Stage (DS) and installed by Post-Construction Stage (PCS) are covered by verified Environmental Product Declarations (EPD) you can achieve one Credit. (1 Credit)

To achieve the Exemplary Level you need ten products which are covered by verifieid Environmental Product Declarations (EPD).

Detailed Rating

No.	General Information			Life cycle impacts	Compliance
	Product name	Manufacturer	Mass [%]	Environmental Product Declaration	
	BPA-CEM 805	BPA-GmbH Herrenberg	100%	not specified	—
1	BPA-CEM 805	BPA-GmbH Herrenberg	100%	not specified	—

Product Declaration - BREEAM International New Construction 2016
MAT 03: Responsible sourcing of materials
Intent

To recognise and encourage the specification and procurement of responsibly sourced materials for key building elements (construction products).

Requirement

The available responsible sourcing credits can be awarded where the applicable construction products are responsibly sourced in accordance to one of the following certificate. Depending on the certificate, a different RSCS level will be achieved. (1-4 Credits)

General:

- Construction products/materials reused in-situ or within the same construction site, with only minor processing that does not alter the nature of the construction product/material (e.g. cleaning, cutting, fixing to other construction products). (RSCS level: 10)
- BES 6001 - Framework Standard for Responsible Sourcing (RSCS level: 5)

Metals:

- Eco-reinforcement (only for reinforcing steel products) (RSCS level: 5)
- CARES Sustainable Constructional Steel (SCS) Scheme (RSCS level: 5)

Timber and Timber based products:

- FSC 100%, Forest Stewardship Council (FSC) (RSCS level: 7)
- FSC Mix, Forest Stewardship Council (FSC) (RSCS level: 5)
- FSC Recycled, Forest Stewardship Council (FSC) (RSCS level: 5)
- PEFC Certified, Programme for the Endorsement of Forest Certification (PEFC) (RSCS level: 5)
- PEFC Recycled, Programme for the Endorsement of Forest Certification (PEFC) (RSCS level: 5)
- SFI certified 100 %, Sustainable Forestry Initiative Inc. (SFI) (RSCS level: 6)
- SFI recycled timber/fibre content, Sustainable Forestry Initiative Inc. (SFI) (RSCS level: 5)

Manufacturer:

- Environmental Management System (EMS) (certified): Key Process and supply chain extraction process (RSCS level: 2)
- Environmental Management System (EMS) (certified): Key Process (RSCS level: 1)

Detailed Rating

No.	General Information			Responsible sourcing of materials		Compliance
	Product name	Manufacturer	Mass [%]	Responsible sourcing scheme	RSCS Level	
	BPA-CEM 805	BPA-GmbH Herrenberg	100%	not specified	not specified	—
1	BPA-CEM 805	BPA-GmbH Herrenberg	100%	not specified	not specified	—

Notice:

This declaration is a product of HOINKA GmbH. This data sheet is published in the online database greenbuildingproducts.eu. The data sheet is only valid as BREEAM evidence in conjunction with the manufacturer's declarations and product certificates that prove the information given in this declaration. This declaration is no official certificate in terms of BREEAM. The contents are based on manufacturer specifications. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the actuality or correctness of the published data. The interpretation of the BREEAM criteria requirements can differ and depend on the project and the scope of application. In spite of a diligent treatment of all information HOINKA GmbH cannot guarantee the correctness of evaluation in terms of the BREEAM requirements. The user of this declaration, the consumer of the product and the consultant/planner, who is advising this product in any construction projects, is responsible by himself to proof all data published in this document and to verify the permissibility for the designated application. The content of this data sheet does not manifest any legal relationship. With the publication of a new edition, this declaration can no longer be considered to be valid. The latest version is available in the internet.

Contact:

HOINKA GmbH - greenbuildingproducts.eu
Nobelstraße 15
70569 Stuttgart

Tel. +49 711 62049-340
Fax +49 711 62049-349

www.greenbuildingproducts.eu
contact@greenbuildingproducts.eu

Imprint:

HOINKA GmbH - greenbuildingproducts.eu
Lembergweg 7/1
71067 Sindelfingen

CEO: Dipl.-Ing. Thomas Hoinka