## Declaration of performance: No. CPR-NO1/0057

- 1. Unique identification code of the product-type: MAPEPOXY L
- 2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR: TWO-COMPONENT STRUCTURAL BONDING EPOXY RESIN
- 3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: for intended use as 4.3 Structural bonding products for bonded plate reinforcement and 4.4 Structural bonding products for bonded mortar or concrete
- 4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5): MAPELAS Vallsetvegen 6 2120 Sagstua (Norway) www.mapei.no
- 5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): Not applicable
- 6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: System 2+

## System 3 for reaction to fire

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard: The Notified Body Sintef Building and Infrastructure No. 1071, performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control, under system 2+, and issued the certificates of conformity of the factory production control No. 1071– CPD – 1682.

The notified testing laboratory MPA Dresden GmbH N. 0767, performed the determination of the class of reaction to fire on samples taken by the manufacturer, under system 3, and issued the report N. 2012-B-3319/04.

- 8. In the case the declaration of performance concerning a construction product for which a European Technical assessment has been issued: Not applicable
- 9. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Bond/adhesion strength Shear strength Workability Shrinkage/expansion Modulus of elasticity Coefficient of thermal expansion Glass transition temperature Reaction to fire Durability Dangerous substances	Pull out strength > 14 N/mm <sup>2</sup> Slant shear strength at: $50 \circ > 50 N/mm^2$ $60 \circ > 60 N/mm^2$ $70 \circ > 70 N/mm^2$ > 12 N/mm <sup>2</sup> + 5 °C = 28 min + 20 °C = 20 min + 30 °C = 14 min < 0.1 % > 2 000 N/mm <sup>2</sup> < 100*10 <sup>-6</sup> per K > 40 °C B <sub>fl</sub> -s1 Pass NPD	EN 1504-4:2004

Bond/adhesion strength Shear strength Compressive strength Shrinkage/expansion Workability Sensitivity to water Modulus of elasticity Coefficient of thermal expansion Glass transition temperature Reaction to fire Durability Dangerous substances	Pass > $6 \text{ N/mm}^2$ > $30 \text{ N/mm}^2$ < $0.1 \%$ + $5 ^{\circ}\text{C} = 28 \text{ min}$ + $20 ^{\circ}\text{C} = 20 \text{ min}$ + $30 ^{\circ}\text{C} = 14 \text{ min}$ Pass > $2 000 \text{ N/mm}^2$ < $100^*10^{\circ}\text{ per K}$ > $40 ^{\circ}\text{C}$ B <sub>ff</sub> -s1 Pass NPD	EN 1504-4:2004
---	---	----------------

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by: Trond Hagerud – Managing Director (name and function)

A-g-l. .....

(signature)

Sagstua, 01/07/2013 (place and date of issue)

## CE MARKING according to CPR 305/2011 and EN 1504-4:2004

CE					
	Vallsetvegen 6, 2120 Sagstua (Norway)				
1071 0767	w	ww.mapei.no			
	13				
	CPR-NO1/0057				
	EN 1504-4:2004				
MAPEPOXY L					
4.3 Struct	ural bonding products fo	r bonded plate reinforcement			
Bond/adhesion strength		Pull out strength > 14 N/mm <sup>2</sup> Slant shear strength at: 50 ° > 50 N/mm <sup>2</sup> 60 ° > 60 N/mm <sup>2</sup> 70 ° > 70 N/mm <sup>2</sup>			
Shear strength		> 12 N/mm <sup>2</sup>			
Workability		+ 5 °C = 28 min + 20 °C = 20 min + 30 °C = 14 min			
Shrinkage/exp	ansion	< 0.1 %			
Modulus of ela	asticity	> 2 000 N/mm <sup>2</sup>			
Coefficient of	thermal expansion	< 100*10 <sup>-6</sup> per K			
Glass transition temperature		> 40 °C			
Reaction to fire		B <sub>fl</sub> -s1			
Durability		Pass			
Dangerous substances		NPD			
	4.4 Structural bonding products for bonded mortar or concrete				
Bond/adhesion strength		Pass			
Shear strength		> 6 N/mm <sup>2</sup>			
Compressive strength		> 30 N/mm <sup>2</sup>			
Shrinkage/expansion		< 0.1 %			
Workability		+ 5 °C = 28 min + 20 °C = 20 min + 30 °C = 14 min			
Sensitivity to water		Pass			
Modulus of elasticity		> 2 000 N/mm <sup>2</sup>			
Coefficient of thermal expansion		< 100*10 <sup>-6</sup> per K			
Glass transition temperature		> 40 °C			
Reaction to fire		B <sub>fl</sub> -s1			
Durability		Pass			
Dangerous substances		NPD			