

		Jøtul F 160 Series			
		Jøtul F 162 BP, cat no. 351223, Jøtul F 162 C BP cat no. 351264, Jøtul F 163 BP m/sideglass, cat no. 351238			
		BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted			
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	10480592		Topp	Top	Cast Iron min 4mm thickness
2			Dør	Door	Cast Iron min 4mm thickness
3	10480692		Bunn	Bottom	Cast Iron min 4mm thickness
4	10480292		Sidestykke, Høyre, for sideglass	Side plate, Right, for side glass	Cast Iron min 4mm thickness
5	10480392		Sidestykke, Venstre,for sideglass	Side plate, Left, for side glass	Cast Iron min 4mm thickness
6	10480792		Spylebrem	Air deflector	Cast Iron min 4mm thickness
7	10480812		Fyrbunn	Bottom plate inner	Cast Iron min 4mm thickness
8	10480918		Bakplate	Rear plate	Cast Iron min 4mm thickness
9	10481012		Luftkanal bak	Air chanell	Cast Iron min 4mm thickness
10	10481492		Høyre ben	Right leg	Cast Iron min 4mm thickness
11	10481292		Venstre ben	Left leg	Cast Iron min 4mm thickness
12	10481392		Bakre ben	Rear leg	Cast Iron min 4mm thickness
13	10481512		Deksel uteluft	Cover outside air	Cast Iron min 4mm thickness
14	224038		Håndtak	Handle	Cast Iron min 4mm thickness
15	224039		Håndtak luftventil	Handle primary air	Cast Iron min 4mm thickness
16	10483312		Deksel hengslehus	Cover hingeouse	Cast Iron min 4mm thickness
17	10481718		Hengselbrakett oppe	Hingebracket upper	Cast Iron min 4mm thickness
18	10481618		Hengselbrakett nede	Hingebracket	Cast Iron min 4mm thickness
19	10483492		Deksel røkuttak F 160	Smoke outlet cover F 160	Cast Iron min 4mm thickness
20	10440892		Røkstuss ø150 dripless	Smoke outlet ø150 drippless	Cast Iron min 4mm thickness
21	10483212		Ledeplate venstre	Deflector left	Cast Iron min 4mm thickness
22	156990	2,31,32,34,35,61,62	Dør komplett u/glass	Door complete without glass	
22		2,24,31,32,34,35,61,62	Dør komplett	Door complete	
23	223602		Hengsle	Hinge	5mm steel
24	223496		Glass for dør	Glass for door	Ceramic glass 4mm
25	223666		Sideglass	Side glass	Ceramic glass 4mm
26	223508		Ventil plate	Valve plate	steel
27	10483112		Ledeplate Høyre	Deflector right	Cast Iron min 4mm thickness
28	223497		Hvelv	Baffle	Vermiculite
29	223663		Askeskuff	Ash pan	steel
30	223689		Luftkanal komplett	Air dist. Complete	steel
31	223658		Aksel lås dør komplett	Axle lock door complete	
32	117130		Skrue sekskant med flens M6x12 DIN 6921	Screw hex cap flange M6x12 DIN 6921	St8.8 / ANSI B18.2
33	117876		Skrue sekskant med flens M8x25 DIN 6921	Screw hex cap flange M8x25 DIN 6921	St8.8 / ANSI B18.2
34	118136		Skrue senkhode Innvendig Sekskant M6x10	Screw Countersunk Cap Internal Hex. M6x10	St8.8 / ANSI B18.2 DIN 7991
35	128412		Glassklips	Glassclip	Stainless Steel
36	126011		Klips for sideglass	Clip for side glass	Stainless Steel
37	117022		Skrue sekskant M6x12	Hexagon screw M6x12	M6x12
38	223498		Brennplate høyre	Burn plate right	Cast Iron min 4mm thickness

		Jøtul F 160 Series			
		Jøtul F 162 BP, cat no. 351223, Jøtul F 162 C BP cat no. 351264, Jøtul F 163 BP m/sideglass, cat no. 351238			
		BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted			
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
39	223499		Brennplate venstre	Burn plate left	Cast Iron min 4mm thickness
40	10483518		Brennplate bakre	Burn plate rear	Cast Iron min 4mm thickness
41	117099		Skrue sekskant med flens M6x25 Spesial	Screw hex cap flange frame M6x25 Special	
42	223471		Fjær for ventiler	Spring for valves	Stainless spring steel
43	117892		Skive Ø10,1xØ19,4x0,9 Sort	Washer Ø10.1xØ19.4x0.9 Black	
44		32,48,49,50,51,52,53	Selvlukkemekanisme komplett	Bauart 1 feder	
45	223509		Stopper luftventil	Stop air valve	Stainless spring steel
46	127076		Nagle Ø6x24, sortkrom	Rivet Ø6x24, black chromate	steel
47	110904		Skive Ø6,4xØ12,5x1.6 Elzn. DIN 125	Washer Ø6.4xØ12.5x1.6 Elzn. DIN 125	Steel
48	220487		Fjær E0360-034-3500M	Spring E0360-034-3500M	
52	117726		Skrue sylinderh. innv. seksk. M6x12 DIN 912	Screw Cylinderh. int. hex, M6x12 DIN 912	
53	223693		Brakett for fjær-selvlukkende dør	Bracket For Spring Self Closing Door	Steel
54		3,18,23,26,42,43,45,46,47,55,68,69	Bunn komplett	Bottom complete	
55	126109		Hylse	Sleeve	Ø10xØ6,2x15mm, Steel
56		1,16,17,23,46,57,58,70	Topp komplett	Top complete	
57	117118		Skrue sekskant med flens M6x16 Spesial	Screw hex cap flange frame M6x16 Special	M6x16
58			Pakning for deksei i topp Ø 4,7mm	Rope for cover under top Ø 4,7mm	Lenght = 580mm LD 187 m/lim
59		4,36,52,71	Høyre Sidestykke komplett u/glass	Right sideplate comp without glass	
60		5,36,52,71	Venstre sidestykke komplett u/glass	Left sideplate comp without glass	
61			Pakning for glass m/lim Ø6,4	Gasket for glas with glue Ø6,4	LD 250-2 graph Ø6,4x1440mm
62			Pakn snor for dør Ø8mm	Gasket for door Ø8mm	5008-Ø8mm KI Ø8x1690mm
63			Pakn for topp Ø6,4x1150 M/LIM	Gasket for top Ø6,4x1150mm with glue	LD 250-2 graph Ø6,4x1150mm
64			Pakn for bunn Ø6,4x1200 M/LIM	Gasket for base Ø6,4x1200mm with glue	LD 250-2 graph Ø6,4x1200mm
65			Pakn for luftkanal Ø6,4 x300	Gasket for air chanel Ø6,4x300mm	LD 250-2 Ø6,4x300mm
66	224027		Isolasjonsmatte 270X80X13mm	Insulation 270X80X13mm	Superwool
67	224028		Isolasjonsmatte 205X60X13mm	Insulation 205X60X13mm	Superwool
68	117129		Skrue sekskant med flens M6x10 Spesial	Screw hex cap flange frame M6x10 Special	M6x10
69	116759		Skrue sekskant M8x20 Elzn	Screw Hexagon M8x20 Elzn	St8.8 / ANSI B18.2
70	117435		Skrue senkehode innvendig sekskant M6x16	Screw Countersunk Cap Internal Hex. M6x16	M6x16
71			Pakn for bunndeksel Ø6,4x1000mm m/lim	Gasket for bottom cover Ø6,4x1000mm w/glue	LD 250-2 graph Ø6,4x1000mm
72	10485292		Sidestykke H uten sideglass (351223)	Side plate, R without sideglass	Cast Iron min 4mm thickness
73	10485392		Sidestykke, V uten sideglass (351223)	Side plate, L without sideglass	Cast Iron min 4mm thickness
74			Pakn for bakplate Ø6,4x580mm m/lim	Gasket for back plate Ø6,4x580mm w/glue	LD 250-2 graph Ø6,4x580mm
75	223085		Hengse pinne 8x8x24	Hinge pin 8x8x24	Steel
76	117873		Skrue sekskant med flens M8x12	Screw hex cap flange frame M8x12	M8x12
77			Pakning for sideglass Ø6,4x980mm m/lim	Gasket for side glas Ø6,4x980 with glue	LD 250-2 graph Ø6,4x980mm
78	224017		Apperture for sideglass	Apperture for sideglass	0.5mm steel
79			Pakn for brennplate Ø6,4 m/lim	Gasket for burn plate Ø6,4 w/glue	LD 250-2 graph Ø6,4
80			Pakn for røykstuss Ø6,4 m/lim	Gasket for skoke outlet Ø6,4 w/glue	LD 250-2 graph Ø6,4

		<b>Jøtul F 160 Series</b>			
		<b>Jøtul F 162 BP, cat no. 351223, Jøtul F 162 C BP cat no. 351264, Jøtul F 163 BP m/sideglass, cat no. 351238</b>			
		<b>BP= Sort lakk/Black Paint, GP= Grå lakk/Grey Paint UP= Ulakkert/Unpainted</b>			
<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
81	117877		Skrue sekskant med flens M8x30	Screw hex cap flange frame M8x30	M8X30
82	117875		Skrue sekskant med flens M8x20	Screw hex cap flange frame M8x20	M8X20
83	223044		Avstandstykke	Distance piece	Steel
84	117880		Mutter krave M6	Nut collar M6	M6
85	120004		Skive	washer	Steel
		<b>Jøtul F 162 C</b>			
94	361084		Konveksjon sider komplett	Convection sides complete	Steel
95			Konveksjon side høyre	Convection side right	Steel
96			Konveksjon side venstre	Convection side left	Steel
98	361099	99, 100	Konveksjonstopp komplett	Convection top complete	Cast Iron min 4mm thickness
99			Konveksjonstopp	Convection top	Cast Iron min 4mm thickness
100	10441692		Lufrist for konveksjonstopp	Air grid	Cast Iron min 4mm thickness
101					
		<b>Ekstraustyr</b>		<b>Optionals</b>	
90	361083		Deksel for uteluft	Cover for outside air	Cast Iron min 4mm thickness
91	361080	92, 93	Klebersten topp komplett	Soap stone top complete	Soap stone
92	223572		Klebersten topp	Soap stone top	Soap stone
93	223573		Deksel for røykuttak klebersten	Cocer for smoke outlet soap stone	Steel
97	351158		Gulvplate stål	Floor plate steel	Steel
					900049-P03