

CE-Declaration of Conformity





Issued in accordance with the Construction Products Directive (CPD)

LaminatePark GmbH & Co KG confirms that, pursuant to Council Directive 89/106/EEC of 21 December 1988 relating to construction products, the below mentioned product is consistent with the requirements of the above mentioned guidelines and complies with certification system 3 of Annex 3 ZA.2 EN 14041.

LaminatePark GmbH & Co KG

Werkstraße 1, D-66265 Heusweiler – Eiweiler DEUTSCHLAND

Distributed by: LaminatePark GmbH & Co KG – Heusweiler DEUTSCHLAND

Characteristic	Standard	Performance declaration		Certificate No. / Notified body
Reaction to fire	EN 13501-1 Fire classification of construction products and building elements	Cfl-s1		No. 230005016-2-3 Notified Body: No. 0432 MPA NRW Außenstelle Erwitte Auf den Thränen 2 D-59597 Erwitte
Sliding performance	EN 13893 Measurement of dynamic coefficient of friction on dry floor surfaces	Class DS		No. ST-08-05-07-8 Notified Body: No. 0766 EPH Dresden Zellescher Weg 24 D-01217 Dresden
Content of PCP	CEN/TR 14823 Quantitative determination of pentachlorophenol in wood and wood-based materials	< detection limit		No. 279385 Notified Body: No. 0766 EPH Dresden
Formaldehyde emission	EN 717-1 Determination of formaldehyde release by the chamber method; German version EN 717-1:2004	E1		No. CT-07-08-21-01 Notified Body: No. 0766 EPH Dresden
Thermal resistance	EN 12667 Thermal performance of building materials and products (hot plate and heat flow meter)	≤ 0,15 m²K/W		No. 279385 Notified Body: No. 0766 EPH Dresden

Description of product group:

Laminate flooring: 7-8mm DPL

Use:

Indoor use

Standard applicable:

EN13329: Laminate floor coverings
Elements with a surface layer based on aminoplastic thermosetting resins

Signature:

Emmanuel Pinto
General Manager




06.04.2010

CE-Declaration of Conformity






Issued in accordance with the Construction Products Directive (CPD)

LaminatePark GmbH & Co KG confirms that, pursuant to Council Directive 89/106/EEC of 21 December 1988 relating to construction products, the below mentioned product is consistent with the requirements of the above mentioned guidelines and complies with certification system 3 of Annex 3 ZA.2 EN 14041.

LaminatePark GmbH & Co KG

Werkstraße 1, D-66265 Heusweiler – Eiweiler DEUTSCHLAND

Distributed by: LaminatePark GmbH & Co KG – Heusweiler DEUTSCHLAND

Characteristic	Standard	Performance declaration	Certificate No. / Notified body
Reaction to fire	EN 13501-1 Fire classification of construction products and building elements	Cfl-s1 	No. 230005016-2-7 Notified Body: No. 0432 MPA NRW Außenstelle Erwitte Auf den Thränen 2 D-59597 Erwitte
Sliding performance	EN 13893 Measurement of dynamic coefficient of friction on dry floor surfaces	Class DS 	No. ST-08-05-07-8 Notified Body: No. 0766 EPH Dresden Zellescher Weg 24 D-01217 Dresden
Content of PCP	CEN/TR 14823 Quantitative determination of pentachlorophenol in wood and wood-based materials	< detection limit	No. 279385 Notified Body: No. 0766 EPH Dresden
Formaldehyde emission	EN 717-1 Determination of formaldehyde release by the chamber method; German version EN 717-1:2004	E1 	No. CT-07-08-21-01 Notified Body: No. 0766 EPH Dresden
Thermal resistance	EN 12667 Thermal performance of building materials and products (hot plate and heat flow meter)	≤ 0,15 m²K/W 	No. 279385 Notified Body: No. 0766 EPH Dresden
Electrostatic characteristic	EN 1815 Assessment of static electrical propensity	Antistatic 	No. 279385 Notified Body: No. 0766 EPH Dresden

Description of product group:

Laminate flooring: 8mm DPL Antistatic

Use:

Indoor use

Standard applicable:

EN13329: Laminate floor coverings
Elements with a surface layer based on aminoplastic thermosetting resins

Signature:

Emmanuel Pinto
General Manager




06.04.2010

CE-Declaration of Conformity






Issued in accordance with the Construction Products Directive (CPD)

LaminatePark GmbH & Co KG confirms that, pursuant to Council Directive 89/106/EEC of 21 December 1988 relating to construction products, the below mentioned product is consistent with the requirements of the above mentioned guidelines and complies with certification system 3 of Annex 3 ZA.2 EN 14041.

LaminatePark GmbH & Co KG

Werkstraße 1, D-66265 Heusweiler – Eiweiler DEUTSCHLAND

Distributed by: LaminatePark GmbH & Co KG – Heusweiler DEUTSCHLAND

Characteristic	Standard	Performance declaration		Certificate No. / Notified body
Reaction to fire	EN 13501-1 Fire classification of construction products and building elements	Cfl-s1		No. 230005015-2-4 Notified Body: No. 0432 MPA NRW Außenstelle Erwitte Auf den Thränen 2 D-59597 Erwitte
Sliding performance	EN 13893 Measurement of dynamic coefficient of friction on dry floor surfaces	Class DS		No. ST-08-05-07-8 Notified Body: No. 0766 EPH Dresden Zellescher Weg 24 D-01217 Dresden
Content of PCP	CEN/TR 14823 Quantitative determination of pentachlorophenol in wood and wood-based materials	< detection limit		No. 279385 Notified Body: No. 0766 EPH Dresden
Formaldehyde emission	EN 717-1 Determination of formaldehyde release by the chamber method; German version EN 717-1:2004	E1		No. CT-07-08-21-01 Notified Body: No. 0766 EPH Dresden
Thermal resistance	EN 12667 Thermal performance of building materials and products (hot plate and heat flow meter)	≤ 0,15 m²K/W		No. 279385 Notified Body: No. 0766 EPH Dresden
Electrostatic characteristic	EN 1815 Assessment of static electrical propensity	Antistatic		No. 279385 Notified Body: No. 0766 EPH Dresden

Description of product group:

Laminate flooring: 8mm RML Antistatic

Use:

Indoor use

Standard applicable:

EN13329: Laminate floor coverings
Elements with a surface layer based on aminoplastic thermosetting resins

Signature:

Emmanuel Pinto
General Manager




06.04.2010