

DET NORSKE VERITAS

EC Type-Examination Certificate

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive 2002/75/EC, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This certificate is issued by Det Norske Veritas under the authority of the Government of the Kingdom of Norway.

CERTIFICATE NO. MED-B-3381

This Certificate consists of 3 pages

This is to certify that the product

Surface materials and floor coverings with low flame-spread characteristics: floor coverings

with the type designation(s)

SOMPLAN PLUS

Manufactured by

TARKETT AB

RONNEBY, Sweden

is found to comply with the requirements in the following Regulations/Standards:
Annex A.1, item No. A.1/3.18c and Annex B, Module B in the Directive. SOLAS 74 as amended, Reg. II-2/3.29, II-2/3.40.4, II-2/5.3.2.4, II-2/6.2 & X/3, 2000 HSC Code 7.4.3.4, 7.4.3.6 and IMO FTP Code

Further details of the product and conditions for certification are given overleaf.

Place and date
Høvik, 2005-11-15
for DET NORSKE VERITAS AS

Tore Morten Wetterhus

Manager, MTPNO370
Department Systems & Components


Notified Body No. 0575

This Certificate is valid until

2010-11-15

Rolf Emilsen Surveyor





module referred to in the council directive, is fully complied with.

in any person suries to so it damage which is proved to have been caused by any negligible as of offission to the robuste vertices, term both which were the compensation shall not exceed an amount equal to ten times the fee charged for the service in question, provided that the maximum compensation shall never exceed USD 2 million. In this provision "Det Norske Veritas" shall mean the Foundation Det Norske Veritas as well as all its subsidiaries, directors, officers, employees, agents and any other acting on behalf of Det Norske Veritas.



Cert. No.: MED-B-3381

Case No.: 344.1-

000198-1

File No.: A1/3.18c

Product description

"Somplan Plus" composed of homogenous filled plasticized PVC. Thickness between 1,9 mm and 2,13 mm, weight between 3060 $\rm g/m^2$ and 3842 $\rm g/m^2$.

Applications/Limitations

Approved for use as low flame spread material, not generation excessive quantities of smoke nor toxic products in fire. Approved for use throughout the accommodation.

Approved for application according to IMO MSC/Circ. 1004.

The floor covering may be bonded to the substrate with "Balls F45" adhesive (used during testing). Any other adhesive has to be approved for low flame spread characteristics and low emission of smoke and toxic gases according to the Marine Equipment Directive.

Each product is to be supplied with its manual for installation/application and maintenance.

Type Examination documentation

Test report Warres No. 117978 and Warres No. 117979 both dated 04 April 2001 from Warrington Fire Research Centre, Warrington, UK.

Tested according to IMO FTP Code part 2 and 5.

Marking of product

The product or packing is to be marked with name of manufacturer, type designation and the Mark of Conformity (see page 3).



FAX: (+47) 67 57 99



Cert. No.: MED-B-3381

Case No.: 344.1-

000198-1

File No.: A1/3.18c

Mark of conformity

The manufacturer is allowed to affix the Mark of Conformity according to Article 11 in the Council Directive 96/98/EC on Marine Equipment and issue a Declaration of Conformity, only when the module D or E or F of Annex B in the same directive is fully complied with.

Module D: The quality system for production and testing shall be approved by the Notified

Body.

Module E: The quality system for inspection and testing shall be approved by the Notified

Body.

Module F: Compliance of the products to type as described in this EC Type-Examination

Certificate must be verified by the Notified Body who also shall issue a

Certificate of Conformity.

END OF CERTIFICATE

