

FDV-dokumentasjon

Produkt: 971566222 090 1
5/16" BITS PH2 L:80MM

Ko-ken 1/2" □ - 8 mm (5/16") bits

AG112A
**1/2" Slagtrekkersett
m. 8 mm (5/16") bitsholder.**


Art. nr. 4715 112	Pk./stk. 1
Innhold:	6 deler
4 stk. 8 mm (5/16") 6kt. bits:	
100P-32: Bits H2, H3 (PR)	4112G Slagtrekker m 1/2" 4kt.
100S-32 Rett bits 9, 11	4138 Bitsholder fra 1/2" 4kt. til 8 mm (5/16") 6kt.
Metallkasse: 190 x 59 x 45 mm, 960 g.	

4138 1/2" Bitsholder for 8 mm (5/16")bits



L mm	Vekt g	Art. nr.	Pk./stk.
38	62	4715 8 32	1

⊕ 100P-32 8mm (5/16") Bits, H (PR)



Str.	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
H 1	8	32	11	9715 662 1	1
H 2	8	32	11	9715 662 2	
H 3	8	32	10	9715 662 3	
H 4	8	32	12	9715 662 4	

⊖ 100S-32 8mm (5/16") Bits, rett


W mm	T mm	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
6	1,0	8	32	10	9715 661 06	1
8	1,2	8	32	12	9715 661 08	
9	1,6	8	32	12	9715 661 09	
11	1,6	8	32	15	9715 661 11	
12	2,0	8	32	18	9715 661 12	
14	2,0	8	32	21	9715 661 14	

⊕ 100P-80 8mm (5/16") Bits, H (PR), lang


Str.	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
H 2	8	80	30	9715 662 22	1
H 3	8	80	31	9715 662 23	

⊙ 100H-32 8mm (5/16") 6-kt. bits


S mm	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
5	8	32	12	9715 666 05	1
6	8	32	12	9715 666 06	
8	8	32	14	9715 666 08	
10	8	32	18	9715 666 10	

⊙ 128 T 8 mm (5/16") bits for innvendig Torx-skruer


Størrlese	D (mm)	L (mm)	Art. nr.	Pk./stk.
TX 40	8	32	9715 60 40	1

Leveringsprogram 1/4" bits Phillips (PH) ⊕

L: 25 mm


PH1 0614 176 274



PH2 0614 176 461



PH3 0614 176 648



Torsjonbits

TB PH1 0614 122 51



Torsjonbits

TB PH2 0614 122 52



Torsjonbits

TB PH3 0614 122 53



Torsjonbits m. diamant

TB PH2 0614 422 52



Redusert bits

RB PH2 2614 70 11



Gipsplatebits

PH2 2614 76 02

L: 32 mm


PH4 0614 176 750

L: 50 mm


PH1 0614 176 735



PH2 0614 176 736



PH3 0614 176 737



Torsjonbits

TB PH2 2614 045 40

L: 73 mm


PH1 0614 176 774



PH2 0614 176 775

L: 45 mm M5


PH2 0614 176 679

Fargemerking/skrutilpasning

Skrue	Maskinskrue	Plateskrue	Gipsplateskrue	Treskrue	Bits
Ø	M2 - M3	2,2 - 2,9			PH 1
	M3,5 - M5	3,5 - 4,8	3,5 - 5,0		PH 2
	M6	5,5 - 6,3			PH 3
	M8 - M10				PH 4


L: 110 mm PH2 0614 176 739

L: 139 mm Maskinbits for Turbodriver 440 PH2 1614 440 2

L: 153 mm Maskinbits for Turbodriver 341 PH2 1614 341 2

L: 168 mm PH2 0614 100 211

Leveringsprogram 5/16" bits Phillips (PH) ⊕

L: 32 mm


PH1 9715 662 1



PH2 9715 662 2



PH3 9715 662 3



PH4 9715 662 4

L: 80 mm


PH2 9715 662 22



PH3 9715 662 23