

Step - Light Reflectance Values

Collection	Colour number	Y*
Surestep		
	17100	75%
	17102	45%
	17112	68%
	17114	45%
	17118	46%
	17121	44%
	17125	17%
	17129	7%
	17147	16%
	17150	48%
	17158	9%
	17172	34%
	17173	25%
	17176	16%
	17179	10%
	17183	34%
	17189	10%
	17194	20%
	17196	11%
	17199	6%
Colourstep		
	8900	80%
	8935	50%
	8955	11%
	8978	8%
	8994	19%
	8999	6%
Safestep Grip		
	17302	43%
	17325	17%
	17358	9%
	17373	24%
	17389	9%
	17394	17%

*The luminous reflectance factor (Light Reflectance Value) Y, is the physical value of the quantity of light energy reflected by a surface, expressed as the percentage of light reflected under the same conditions by a perfect reflecting diffuser. Y, is based on a scale of 0 to 100, where 0 = black and therefore represents total light absorption, and white = 100 and therefore total light reflection.

Step - Light Reflectance Values

Collection	Colour number	Y*
Safestep Grip		
	17396	11%
	17399	6%
Safestep R11		
	8202	44%
	8225	17%
	8258	9%
	8273	25%
	8289	9%
	8294	19%
	8296	11%
	8299	6%
Safestep R12		
	8502	40%
	8525	17%
	8594	19%
	8599	7%
Woodstep		
	1805	9%
	1816	22%
	1822	35%
	1832	33%
	1844	30%
	1872	14%
	1891	19%
	1892	31%
Stonestep		
	1704	22%
	1705	16%
	1718	16%
	1719	8%
	1721	47%
	1722	9%
	1732	11%
	1733	8%

*The luminous reflectance factor (Light Reflectance Value) Y, is the physical value of the quantity of light energy reflected by a surface, expressed as the percentage of light reflected under the same conditions by a perfect reflecting diffuser. Y, is based on a scale of 0 to 100, where 0 = black and therefore represents total light absorption, and white = 100 and therefore total light reflection.

Step - Light Reflectance Values

Collection	Colour number	Y*
Starstep		
	17600	79%
	17601	49%
	17606	28%
	17613	52%
	17626	21%
	17627	17%
	17628	14%
	17693	26%
	17695	14%
	17698	8%

*The luminous reflectance factor (Light Reflectance Value) Y, is the physical value of the quantity of light energy reflected by a surface, expressed as the percentage of light reflected under the same conditions by a perfect reflecting diffuser. Y, is based on a scale of 0 to 100, where 0 = black and therefore represents total light absorption, and white = 100 and therefore total light reflection.