

FDV-dokumentasjon

Produkt: 0613421055060 1

SKRUTR. RETT M.6-KT. KLINGE
1,0X 5,5X100

Skrutrekker med 6-kt. klinge og spor for kombinøkkel



Skrutrekker Pozidrive (Z)

- Nikromatt klinge med svart spiss
- Spor: ISO 8764-PZ

| | | | | | | Art. nr. | Pk./stk. |
|----|------|--------|------|--------|-------------------|----------|----------|
| | A mm | B/C mm | mm | | | | |
| Z1 | 80 | 96/31 | 5/8 | 3 1/8" | 0613 423 1 | 1 | |
| Z2 | 100 | 106/35 | 6/10 | 4" | 0613 423 2 | | |
| Z3 | 150 | 114/38 | 8/13 | 6" | 0613 423 3 | | |



Skrutrekkersett auto/industri Art. nr. 0613 942 26

| | Art. nr. | | Art. nr. | Pk./stk. |
|-------------|---------------------|----|-------------------|----------|
| 0,6x3,5x75 | 0613 421 035 | H1 | 0613 422 1 | 1 |
| 1,0x5,5x100 | 0613 421 055 | H2 | 0613 422 2 | |
| 1,2x6,5x125 | 0613 421 065 | | | |
| 1,6x8,0x150 | 0613 421 08 | | | |



Skrutrekkersett trebearbeidende Art. nr. 0613 942 35

| | Art. nr. | | Art. nr. | Pk./stk. |
|-------------|---------------------|----|-------------------|----------|
| 0,6x3,5x75 | 0613 421 035 | Z1 | 0613 423 1 | 1 |
| 1,0x5,5x100 | 0613 421 055 | Z2 | 0613 423 2 | |
| 1,2x6,5x125 | 0613 421 065 | | | |

Skrutrekker med 6-kt. klinger og spor for kombinøkkel



Skrutrekker Rett

- Nikromatt klinge med svart spiss
- Spor: DIN 5264-A, ISO 2380

| a mm | b mm | A B C | | | mm | inch | Art. nr. | Pk./stk. |
|----------|---------|----------|-------|-------------|----------------------|------|----------|----------|
| | | A | B/C | | | | | |
| 0,6x3,5 | 75 | 83/27 | 4/- | 1/8x3/16" | 0613 421 035* | 1 | | |
| 0,8x4,0 | 90 | 96/31 | 5/8 | 5/32x3 5/8" | 0613 421 004* | | | |
| 1,0x5,5 | 100 | 96/31 | 5/8 | 7/32x4" | 0613 421 055 | | | |
| 1,2x6,5 | 125 | 106/35 | 6/10 | 1/4x5" | 0613 421 065 | | | |
| 1,6x8,0 | 150 | 114/38 | 8/13 | 5/16x6" | 0613 421 08 | | | |
| 1,6x10,0 | 175 | 114/38 | 8/13 | 3/8x7" | 0613 421 10 | | | |
| 2,0x12,0 | 200 | 120/40,5 | 10/16 | 1/2x8" | 0613 421 12 | | | |

* Uten spor for kombinøkkel



Skrutrekker Phillips (H)

- Nikromatt klinge med svart spiss
- Spor: DIN 5260-PH, ISO 8764-PH

| PH | A B C | | | mm | inch | Art. nr. | Pk./stk. |
|----|-------|--------|-------|--------|-------------------|----------|----------|
| | A | B/C | | | | | |
| H1 | 80 | 96/31 | 5/8 | 3 1/8" | 0613 422 1 | 1 | |
| H2 | 100 | 106/35 | 6/10 | 4" | 0613 422 2 | | |
| H3 | 150 | 114/38 | 8/13 | 6" | 0613 422 3 | | |
| H4 | 200 | 120/45 | 10/16 | 8" | 0613 422 4 | | |