

FDV-dokumentasjon

Produkt: 971560 40 090 1

5/16" BITS TORX TX40 L:32MM

Ko-ken 1/2" □ - 8 mm (5/16") bits

AG112A
**1/2" Slagtrekkersett
m. 8 mm (5/16") bitsholder.**


Art. nr. 4715 112	Pk./stk. 1
Innhold:	6 deler
4 stk. 8 mm (5/16") 6kt. bits:	4112G Slagtrekker m 1/2" 4kt.
100P-32: Bits H2, H3 (PR)	4138 Bitsholder fra 1/2" 4kt.
100S-32 Rett bits 9, 11	til 8 mm (5/16") 6kt.
Metallkasse: 190 x 59 x 45 mm, 960 g.	

4138 1/2" Bitsholder for 8 mm (5/16")bits



L mm	Vekt g	Art. nr.	Pk./stk.
38	62	4715 8 32	1

⊕ 100P-32 8mm (5/16") Bits, H (PR)



Str.	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
H 1	8	32	11	9715 662 1	1
H 2	8	32	11	9715 662 2	
H 3	8	32	10	9715 662 3	
H 4	8	32	12	9715 662 4	

⊖ 100S-32 8mm (5/16") Bits, rett


W mm	T mm	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
6	1,0	8	32	10	9715 661 06	1
8	1,2	8	32	12	9715 661 08	
9	1,6	8	32	12	9715 661 09	
11	1,6	8	32	15	9715 661 11	
12	2,0	8	32	18	9715 661 12	
14	2,0	8	32	21	9715 661 14	

⊕ 100P-80 8mm (5/16") Bits, H (PR), lang


Str.	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
H 2	8	80	30	9715 662 22	1
H 3	8	80	31	9715 662 23	

⊙ 100H-32 8mm (5/16") 6-kt. bits





S mm	D mm	L mm	Vekt g	Art. nr.	Pk./stk.
5	8	32	12	9715 666 05	1
6	8	32	12	9715 666 06	
8	8	32	14	9715 666 08	
10	8	32	18	9715 666 10	

**⊙ 128 T 8 mm (5/16") bits for
innvendig Torx-skruer**







Størrlese	D (mm)	L (mm)	Art. nr.	Pk./stk.
TX 40	8	32	9715 60 40	1

Leveringsprogram bits

1/4" Torx (TX) ★
L: 26 mm

- 
TX 9 0614 310 9
- 
TX 10 0614 311 0
- 
TX 15 0614 311 5
- 
TX 20 0614 312 0
- 
TX 25 0614 312 5
- 
TX 27 0614 312 7
- 
TX 30 0614 313 0
- 
TX 40 0614 314 0

1/4" Torx (TX) ★
L: 70 mm

- 
TX 10 0614 331 0
- 
TX 15 0614 331 5
- 
TX 20 0614 332 0
- 
TX 25 0614 332 5
- 
TX 30 0614 333 0

Hulltorx (TR) ★
L: 25 mm

- 
TR 7 2614 610 7
- 
TR 8 2614 610 8
- 
TR 9 2614 610 9
- 
TR 10 2614 611 0
- 
TR 15 2614 611 5
- 
TR 20 2614 612 0
- 
TR 25 2614 612 5
- 
TR 27 2614 612 7
- 
TR 30 2614 613 0
- 
TR 40 2614 614 0

5/16" Torx (TX) ★
L: 32 og 35 mm

- 
TX 40 9715 60 40
- 
TX 45 0614 314 5
- 
TX 50 0614 315 0
- 
TX 55 0614 315 5