

## WOOD FLOORING AND PARQUET

**Self-declaration** that the named products comply with the requirements for wood flooring and parquet as per BREEAM-NOR's chapter HEA 9

This form must be filled out by the **MANUFACTURER** of wood flooring and parquet.

It is important that the information given here is correct, and we strongly encourage thoroughness in researching the extent to which emission testing and/or test reports show that the product complies with the standards and emission limit values required by BREEAM-NOR. If in doubt, the manufacturer should consult own internal and external experts. **Providing incorrect and misleading information can have legal consequences.**

Once filled-out, the form must be signed by a legally responsible person for the manufacturer, such as a technical director or a managing director.

**AST C-J Sp. z o.o.**

<b>MANUFACTURER:</b>		64-234 Przemęt Barchlin, ul. Parkowa 1 tel. 65 549 57 81 NIP: 923-170-00-96 REG: 36434330100000 KRS: 0000616251			
<b>PRODUCT TRADE NAME:</b>		(All of the manufacturer's wood flooring and parquet types that comply with the criteria below can be listed here in order to avoid creating a separate declaration for each product)			
<b>PRODUCT ID:</b> Add the product ID to the list to the right or send it to: Document@cobuilder.no		<a href="#">Download a product-list template</a>			
<b>DOCUMENTATION</b>			YES	NO	Comments (e.g. «test not conducted», «does not meet requirement»)
<b>REQUIREMENTS</b>		<b>Relevant standards</b>			
1.a	The product can be classified as E1 in accordance with the EN 717-1:2004 test method.	EN 14342:2005 EN 717-1:2004	✓		
1.b	The undersigned can confirm that no materials consisting formaldehyde have been added to the product during production or post-production. These can be classified as E1 without testing.	See NS-EN 14342:2005 for detailed information.			

2.	The product has undergone an emission test which shows that its TVOC emission is below <b>0,2 mg/m<sup>3</sup>h</b> <sup>1) 2)</sup>	NS-EN 15251:2007 (Appendix C)		✓	test not conducted
3.	The product has undergone an emission test which shows that its formaldehyde emission is below <b>0,05 mg/m<sup>3</sup>h</b> <sup>1) 2)</sup>	NS-EN 15251:2007 (Appendix C)		✓	
4.a	The product has undergone an emission test which shows that its ammonia emission is below <b>0,03 mg/m<sup>3</sup>h</b> <sup>1) 2)</sup>	NS-EN 15251:2007 (Appendix C)			
4.b	The product has no emission test measuring the ammonia emissions, but the undersigned can confirm: 1) That ammonia is not traceably active in the product, <b>AND</b> 2) The product does not contain chemicals that can decompose to ammonia.			✓	
5.	The product has undergone an emission test which shows that its emissions of cancer-causing compounds (IARC) are below <b>0,005 mg/m<sup>3</sup>h</b> <sup>1) 2)</sup>	NS-EN 15251:2007 (Appendix C)		✓	test not conducted
6.	The product has undergone an emission test which shows that odour dissatisfaction is below 15%. If deemed not applicable for the product, please provide more details in the comment field. <sup>1)</sup>	NS-EN 15251:2007 (Appendix C)		✓	
7.	The tests in points 2-6 have been performed in acc. with ISO 16000-series with measurements made after <b>28 days</b> .	ISO 16000		✓	
8.	The undersigned can confirm the absence of regulated impregnation agents and the compliance to the minimum level requirements.	NS-EN 14342:2005		✓	

<sup>1)</sup> On [www.ngbc.no](http://www.ngbc.no) under "Frequently asked questions" there is help in assessing different known emission certificates against the requirements in NS-EN 15251.

<sup>2)</sup> Note that the emissions here are measured in mg/m<sup>3</sup>h. Most emission certificates use mg/m<sup>3</sup>. There is a way to convert these units in order to compare the results. Your preferred laboratory can help you with this.

Legally responsible:

Position: **QC MANAGER**

Date: **02-03-2018**

Signature:



