

Certificate

NEPCon

Preferred by Nature™



NEPCon hereby confirms that the Chain of Custody and Controlled Wood system of

DLH Danmark A/S

Nordkajen 21
6000 Kolding
Denmark

has been assessed and certified as meeting the requirements of
FSC-STD-40-003 V2-1; FSC-STD-40-004 V2-1; FSC-STD-50-001 V1-2

The certificate is valid from 18-01-2016 to 17-01-2021

Certificate version date: 31-07-2017

Scope of certificate

Certificate type: Multisite (Common ownership) Chain of Custody and Controlled Wood

Certificate registration code

NC-COC-011796

NC-CW-011796

FSC License Code

FSC-C108371

A handwritten signature in black ink, appearing to read "Justinas Janulaitis", is written over a horizontal line.

Justinas Janulaitis
Operations Director
Filosoofi 31, Tartu
Estonia

Specific information regarding products and sites is listed in the appendix(es) of this certificate. The validity and exact scope covered by this certificate shall always be verified at info.fsc.org.

FSC™ A000535 | The mark of responsible forestry | www.ic.fsc.org

This certificate itself does not constitute evidence that particular product supplied by the certificate holder is FSC™ certified [or FSC Controlled Wood]. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.

The physical printed certificate remains the property of NEPCon and shall be returned upon request.

Annex A: Scope of DLH Danmark A/S FSC™ Chain of Custody and Controlled Wood Certificate
NC-COC-011796

(The list below shows products handled by the network of Participating Sites)

Product Type	Trade Name	Output FSC Claims
W13.5	Decking	FSC 100%
W13.5	Decking	FSC 100%
W8.1	Construction Plywood	FSC Mix Credit
W8.1	Other Sheet material	FSC 100%
W8.1	Birch Plywood	FSC 100%; FSC Mix Credit; FSC Controlled Wood
W8.2	MDF/HDF	FSC 100%
W8.2	OSB	FSC Mix x%
W8.3	Fibreboards	FSC Mix Credit
W8.3	Fibreboard	FSC Mix x%
W8.3	MDF/HDF	FSC Mix x%
W9.2	LVL	FSC Mix Credit
W9.7	I-Beams	FSC Mix Credit

This certificate itself does not constitute evidence that particular product supplied by the certificate holder is FSC™ certified [or FSC Controlled Wood]. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.
The physical printed certificate remains the property of NEPCon and shall be returned upon request.

**Annex B: Scope of DLH Danmark A/S FSC™ Chain of Custody and Controlled Wood
Certificate
NC-COC-011796**

No	Site Name	Address	Sub-code
1	DLH Danmark Storage	Hylkedamvej 75 5591 Gelsted Denmark	N/A
2	DLH Danmark A/S	Nordkajen 21 6000 Kolding Denmark	N/A
3	DLH Sverige AB	Lamellvägen 6 281 02 Hässleholm Sweden	N/A

This certificate itself does not constitute evidence that particular product supplied by the certificate holder is FSC® certified [or FSC Controlled Wood]. Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.
The physical printed certificate remains the property of NEPCon and shall be returned upon request.

Ydeevnedeklaration: Spaandex EN 312 P1							
1. Byggevareretype:	Spånplade i henhold til EN 312 P1						
2. Byggevareridentifikation	Spaandex EN 312 P1						
3. Byggevarens tilsligtede anvendelse	Spånplade til anvendelse som ikke bærende plade i permanent opvarmede lokaler.						
4. Fabrikantens navn og adresse	Novopan Træindustri A-S Fabriksvej 2, Pindstrup. DK-8550 Ryomgård						
5. Navn og adresse på den bemyndigede repræsentant	Ikke relevant						
6. Systemerne for vurdering og kontrol af byggevarens ydeevne.	AVCP 2						
7. Notificerede organs opgave	Dancert A/S Gregersensvej 4 DK-2630 Taastrup						
8. Deklareret ydeevne	Tykkelse [mm]	>8-13	>13-20	>20-25	>25-32	32-38	EN 13986:200 4 EN 312:2010
	Brudstyrke [N/mm ²]	≥ 10,5	≥ 10	≥ 10	≥ 10	≥ 8,5	
	Tværtrækstyrke [N/mm ²]	≥ 0,28	≥ 0,24	≥ 0,20	≥ 0,17	≥ 0,14	
	Formaldehyd [mg/100g v. 6,5% fugt]	≤ 8	≤ 8	≤ 8	≤ 8	≤ 8	
	Anvendelsesklasse	1	1	1	1	1	
*: EN 321	Brandklasse	Ds2-d0	Ds2-d0	F	F	F	

Ydeevnen for den byggevarer der er anført i punkt 1 og 2 er i overensstemmelse med den deklarerede ydeevne der er anført i punkt 8.



Henrik Skovbo, laboratorie- og kvalitetschef

Pindstrup d. 21/1-2016