

Product Verification

Sustainability

according to BREEAM International New Construction 2016


Product Systems

MERO Hollow Floor Combi T

MERO-TSK International GmbH & Co. KG

The MERO hollow floor is a standardized, dry construction system for the interior work of buildings which is mounted on a substructure. The continuous base layer of the system with its smooth surface creates a flexible cavity for the installation of all kinds of supply and waste lines etc. Uneven floors can be levelled. The MERO hollow floor can be combined with a MERO access floor system, screed etc. The MERO hollow floor is tested according to DIN EN 13213 and certified by independent institutes. Application advice - Combi T:

- Standard office areas
- Office areas with increased static loads, lecture halls, surgeries, design offices, libraries etc.
- Industrial floors with light operation, storage rooms, workshop with light production, etc.
- Airport areas, Heavy-duty areas with forklift traffic • Integrated heating and cooling system is possible



Product Assessment

Health and wellbeing

Criteria

Product Verification

Hea 02 Indoor air quality (GN22 V2.0 April 2016)	Yes
Hea 02 Indoor air quality - Exemplary Level (GN22 V2.0 April 2016)	Yes

Materials

Criteria

Product Verification

Mat 03 Responsible sourcing of construction products (GN18 V3.1 January 2018)

RSCS level 2

Legend: yes = Product contributes toward satisfying the credit, N/A = Product not relevant in the credit, no = Credit requirements are not proven

■ Summary

The product contributes to the certification:

- The entire product complies with Hea 02 Indoor air quality: Yes
- The entire product complies with Hea 02 Indoor air quality - Exemplary Level: Yes
- Achieved RSCS summary score level in Mat 03 Responsible sourcing of construction products for the entire product: RSCS level 2

■ Ecolabels & Product-Assessments

ISO 14001



ISO 9001



■ Product Properties

Manufacturer:

Environmental Management System according ISO 14001: Yes

■ Product Components

Name	Amount	Total Weight	Specific Weight	Portion (%)
Plaster floor	0.970	0.970	1 kg / kg	96.61 %
Steel pedestals, zinc coated	0.030	0.030	1 kg / kg	2.99 %
Securing adhesive	0.001	0.001	1 kg / kg	0.10 %
Pedestals adhesive	0.001	0.001	1 kg / kg	0.10 %
Floor sealing, VOC free	0.001	0.001	1 kg / kg	0.10 %
Fugenklebstoff, lösemittelfrei	0.001	0.001	1 kg / kg	0.10 %


■ Green Building Certification System

The BREEAM (British Research Establishment Environmental Assessment Method) certification system was published by the Building Research Establishment (BRE). It came on the market in 1990 and was one of the first certification systems for buildings. BREEAM offers different standards, which vary in the requirements, depending on the country, type of use and development phase of the project (new construction, in-use, refurbishment and fit-out, infrastructure and communities). Within ten environmental categories and numerous individual credits, buildings are rated and can be rated as Acceptable (for in-use scheme only), Pass, Good, Very Good, Excellent and Outstanding. Up to now, more than 16,300 BREEAM projects have been certified worldwide (as of April 2018).

Source: www.breem.com

■ Certification System and Categories

Category Weighting



Category

Category considered in product verification

Management (Man)	No
Health and wellbeing (Hea)	Yes
Energy (Ene)	No
Transport (Tra)	No
Water (Wat)	No
Materials (Mat)	No
Waste (Wst)	Yes
Land use and ecology (LE)	No
Pollution (Pol)	No
Innovation (Inn)	No

Source: BREEAM International NC 2016 - Non-residential - Fully Fitted (TM 2.0)

Detailed Verification

according to BREEAM International New Construction 2016

■ Health and wellbeing

■ Hea 02 Indoor air quality (GN22 V2.0 April 2016)

The entire product complies with Hea 02 Indoor air quality:

MERO Hollow Floor Combi T	Yes
---------------------------	-----

The product complies with Hea 02 Indoor air quality:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	Yes
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

Interior paints and coatings

The entire product complies with Hea 02 Indoor air quality for interior paints and coatings:

MERO Hollow Floor Combi T	Yes
---------------------------	-----

The product complies with Hea 02 Indoor air quality for interior paints and coatings:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	No Information
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	No Information



The product is a paint or coating:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	Yes
Pedestals adhesive	No
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	No

The application of the product is inside a building:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

The application of the product is in wet areas (e.g bathrooms, kitchens, utility rooms):

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No Information

The product protect against mould growth:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No Information



Formaldehyde after 28 days $\leq 0.06 \text{ mg/m}^3$:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

Formaldehyde after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	$< 0.009 \text{ mg/m}^3$
Steel pedestals, zinc coated	No Information
Securing adhesive	$< 0.009 \text{ mg/m}^3$
Pedestals adhesive	$< 0.009 \text{ mg/m}^3$
Floor sealing, VOC free	$< 0.009 \text{ mg/m}^3$
Fugenklebstoff, lösemittelfrei	$< 0.009 \text{ mg/m}^3$

TVOC after 28 days $\leq 1.0 \text{ mg/m}^3$:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

TVOC after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	$< 0.025 \text{ mg/m}^3$
Steel pedestals, zinc coated	No Information
Securing adhesive	$< 0.5 \text{ mg/m}^3$
Pedestals adhesive	$< 0.5 \text{ mg/m}^3$
Floor sealing, VOC free	$< 0.5 \text{ mg/m}^3$
Fugenklebstoff, lösemittelfrei	$< 0.5 \text{ mg/m}^3$



Category 1A and 1B carcinogens after 28 days $\leq 0.001 \text{ mg/m}^3$:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Category 1A and 1B carcinogens after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	$< 0.001 \text{ mg/m}^3$
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Certified with eco-INSTITUT-Label:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with EMICODE EC1+:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes



Certified EMICODE standard:

MERO Hollow Floor Combi T	No Information
Plaster floor	no entry
Steel pedestals, zinc coated	No Information
Securing adhesive	EC1PLUS
Pedestals adhesive	EC1PLUS
Floor sealing, VOC free	EC1PLUS
Fugenklebstoff, lösemittelfrei	EC1PLUS

Certified with UL Greenguard Gold:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with UL Greenguard:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

GREENGUARD certification confirms that there are no measured carcinogens:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No



Certified with Indoor Air Comfort:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with Indoor Air Comfort Gold:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with M1 Emission Classification of Building Materials:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Flooring materials (including floor levelling compounds and resin flooring)

The entire product complies with Hea 02 Indoor air quality for flooring materials (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	Yes
----------------------------------	------------



The product complies with Hea 02 Indoor air quality for flooring materials (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

The product is a flooring material (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	No
Plaster floor	Yes
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with GUT label:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Interior adhesives and sealants (including flooring adhesives)

The entire product complies with Hea 02 Indoor air quality for interior adhesives and sealants (including flooring adhesives):

MERO Hollow Floor Combi T	Yes
----------------------------------	-----



The product complies with Hea 02 Indoor air quality for interior adhesives and sealants (including flooring adhesives):

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	Yes
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	Yes

The product is an adhesive or sealant:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	Yes
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	Yes

Brick, natural stone, concrete, ceramic tile, glass, metal surfaces without organic-based coatings, binders, or sealants used in their production or finishes.

The entire product complies with Hea 02 Indoor air quality because it is a inherently non-VOC emitting product:

MERO Hollow Floor Combi T	Yes
----------------------------------	------------

The product complies with Hea 02 Indoor air quality because it is a inherently non-VOC emitting product:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	Yes
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information



The Product is a brick, natural stone, concrete, ceramic tile, glass, metal surfaces without organic-based coatings, binders, or sealants used in their production or finishes.

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	Yes
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

■ Hea 02 Indoor air quality – Exemplary Level (GN22 V2.0 April 2016)

The entire product complies with Hea 02 Indoor air quality - Exemplary Level:

MERO Hollow Floor Combi T	Yes
----------------------------------	------------

The product complies with Hea 02 Indoor air quality - Exemplary Level:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	Yes
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

Interior paints and coatings - Exemplary Level

The entire product complies with Hea 02 Indoor air quality - Exemplary Level for interior paints and coatings:

MERO Hollow Floor Combi T	Yes
----------------------------------	------------

The product complies with Hea 02 Indoor air quality - Exemplary Level for interior paints and coatings:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	No Information
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	No Information



The product is a paint or coating:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	Yes
Pedestals adhesive	No
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	No

The application of the product is inside a building:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

The application of the product is in wet areas (e.g bathrooms, kitchens, utility rooms):

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No Information

The product protect against mould growth:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No Information



The product is a parquet lacquers:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No Information

Formaldehyde after 28 days $\leq 0.01 \text{ mg/m}^3$:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

Formaldehyde after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	$< 0.009 \text{ mg/m}^3$
Steel pedestals, zinc coated	No Information
Securing adhesive	$< 0.009 \text{ mg/m}^3$
Pedestals adhesive	$< 0.009 \text{ mg/m}^3$
Floor sealing, VOC free	$< 0.009 \text{ mg/m}^3$
Fugenklebstoff, lösemittelfrei	$< 0.009 \text{ mg/m}^3$

TVOC after 28 days $\leq 0.3 \text{ mg/m}^3$:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No



TVOC after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	< 0.025 mg/m ³
Steel pedestals, zinc coated	No Information
Securing adhesive	< 0.5 mg/m ³
Pedestals adhesive	< 0.5 mg/m ³
Floor sealing, VOC free	< 0.5 mg/m ³
Fugenklebstoff, lösemittelfrei	< 0.5 mg/m ³

TSVOC after 28 days ≤ 0,1 mg/m³:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

TSVOC after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	< 0.005 mg/m ³
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Category 1A and 1B carcinogens after 28 days ≤ 0.001 mg/m³:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information



Category 1A and 1B carcinogens after 28 days:

MERO Hollow Floor Combi T	No Information
Plaster floor	< 0.001 mg/m ³
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Certified with EMICODE EC1+:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

Certified EMICODE standard:

MERO Hollow Floor Combi T	No Information
Plaster floor	no entry
Steel pedestals, zinc coated	No Information
Securing adhesive	EC ₁ PLUS
Pedestals adhesive	EC ₁ PLUS
Floor sealing, VOC free	EC ₁ PLUS
Fugenklebstoff, lösemittelfrei	EC ₁ PLUS

Certified with Indoor Air Comfort Gold:

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No



Meet TVOC content limits according BREEAM Hea 02 Indoor air quality - Exemplary Level:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Yes
Pedestals adhesive	No Information
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	No Information

TVOC content according ISO 11890-2, ISO 17895 or calculation based on the ingredients and raw materials in g/l:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	1
Pedestals adhesive	No Information
Floor sealing, VOC free	6
Fugenklebstoff, lösemittelfrei	No Information

Maximum TVOC content for paints and coatings in g/l:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	15
Pedestals adhesive	No Information
Floor sealing, VOC free	15
Fugenklebstoff, lösemittelfrei	No Information

Product Subcategory according to Directive 2004/42/CE:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	Binding primers
Pedestals adhesive	No Information
Floor sealing, VOC free	Binding primers
Fugenklebstoff, lösemittelfrei	No Information

Flooring materials (including floor levelling compounds and resin flooring) - Exemplary Level

The entire product complies with Hea 02 Indoor air quality - Exemplary Level for flooring materials (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	Yes
----------------------------------	------------



The product complies with Hea 02 Indoor air quality - Exemplary Level for flooring materials (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	No Information
Plaster floor	Yes
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

The product is a flooring material (including floor levelling compounds and resin flooring):

MERO Hollow Floor Combi T	No
Plaster floor	Yes
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with GUT label:

MERO Hollow Floor Combi T	No Information
Plaster floor	No
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Interior adhesives and sealants (including flooring adhesives) - Exemplary Level

The entire product complies with Hea 02 Indoor air quality - Exemplary Level for interior adhesives and sealants (including flooring adhesives):

MERO Hollow Floor Combi T	Yes
----------------------------------	-----

The product complies with Hea 02 Indoor air quality - Exemplary Level for interior adhesives and sealants (including flooring adhesives):

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	No Information
Securing adhesive	No Information
Pedestals adhesive	Yes
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	Yes

The product is an adhesive or sealant:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	Yes
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	Yes

Brick, natural stone, concrete, ceramic tile, glass, metal surfaces without organic-based coatings, binders, or sealants used in their production or finishes.

The entire product complies with Hea 02 Indoor air quality - Exemplary Level because it is a inherently non-VOC emitting product:

MERO Hollow Floor Combi T	Yes
----------------------------------	-----

The product complies with Hea 02 Indoor air quality - Exemplary Level because it is a inherently non-VOC emitting product:

MERO Hollow Floor Combi T	No Information
Plaster floor	No Information
Steel pedestals, zinc coated	Yes
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information



The Product is a brick, natural stone, concrete, ceramic tile, glass, metal surfaces without organic-based coatings, binders, or sealants used in their production or finishes.

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	Yes
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Materials

Mat 03 Responsible sourcing of construction products (GN18 V3.1 January 2018)

Achieved RSCS summary score level in Mat 03 Responsible sourcing of construction products for the entire product:

MERO Hollow Floor Combi T	RSCS level 2
----------------------------------	---------------------

Achieved RSCS score level in Mat 03 Responsible sourcing of construction products for the product:

MERO Hollow Floor Combi T	2
Plaster floor	0
Steel pedestals, zinc coated	0
Securing adhesive	0
Pedestals adhesive	0
Floor sealing, VOC free	0
Fugenklebstoff, lösemittelfrei	0

Steel Products

Achieved RSCS summary score level in Mat 03 Responsible sourcing of construction products for the entire product - Steel Products:

MERO Hollow Floor Combi T	0
----------------------------------	---

Achieved RSCS score level in Mat 03 Responsible sourcing of construction products for the product - Steel Products:

MERO Hollow Floor Combi T	0
Plaster floor	No Information
Steel pedestals, zinc coated	0
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information



The product is made of steel:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	Yes
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with CARES Sustainable Constructional Steel Scheme:

MERO Hollow Floor Combi T	No
Plaster floor	No Information
Steel pedestals, zinc coated	No
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Certified with Eco Reinforcement:

MERO Hollow Floor Combi T	No
Plaster floor	No Information
Steel pedestals, zinc coated	No
Securing adhesive	No Information
Pedestals adhesive	No Information
Floor sealing, VOC free	No Information
Fugenklebstoff, lösemittelfrei	No Information

Environmental Management Systems (EMS) certified for Key Process and supply chain extraction process:

MERO Hollow Floor Combi T	Yes
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No



Environmental Management Systems (EMS) certified for Key Process::

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Certified with BES 6001 Framework Standard for Responsible Sourcing:

MERO Hollow Floor Combi T	No
Plaster floor	No
Steel pedestals, zinc coated	No
Securing adhesive	No
Pedestals adhesive	No
Floor sealing, VOC free	No
Fugenklebstoff, lösemittelfrei	No

Other

Achieved RSCS score level in Mat 03 Responsible sourcing of construction products for the entire product - Other:

MERO Hollow Floor Combi T	0
----------------------------------	---

Achieved RSCS score level in Mat 03 Responsible sourcing of construction products for the product - Other:

MERO Hollow Floor Combi T	2
Plaster floor	0
Steel pedestals, zinc coated	No Information
Securing adhesive	0
Pedestals adhesive	0
Floor sealing, VOC free	0
Fugenklebstoff, lösemittelfrei	0

The product does not fall under any of the above listed product groups:

MERO Hollow Floor Combi T	Yes
Plaster floor	Yes
Steel pedestals, zinc coated	No
Securing adhesive	Yes
Pedestals adhesive	Yes
Floor sealing, VOC free	Yes
Fugenklebstoff, lösemittelfrei	Yes

■ Contact Details Manufacturer

MERO-TSK International GmbH & Co. KG

Max-Mengeringhausen-Str. 5
97084 Würzburg
DE
<http://www.mero.de/>



■ Disclaimer

This verification is the evaluation and ranking of products in terms of the certification system DGNB 2015 (New construction of office buildings). The DGNB (Deutsche Gesellschaft für Nachhaltiges Bauen) generally does not certify products. Therefore the project team or the manufacturer is responsible to declare compliance with respect to the DGNB criteria. Notice: This verification is generated by the Assessment Service of BMS. The distribution or publication by third parties is not permitted. The data sheet is not a DGNB certification document. The information is based on the manufacturer's specifications. Despite a diligent treatment of all information BMS can not make any warranties about the completeness, reliability and accuracy of this information. The requirements of DGNB can be interpreted differently and depend on the project and scope of application. Therefore, BMS cannot accept any liability for the evaluation in terms of the DGNB criteria. The user of the data sheet, the user / purchaser of the product and the consultant / planner, who is advising on this product has the duty to check the product for the intended application at their own responsibility. When a new version of this product verification is produced, the previous version loses its validity.