HALFHARD FLOORING, TEXTILE AND LAMINATE FLOORING

This form must be filled out by the manufacturer of flooring. If the manufacturer does not supply directly but through an intermediary (retailer, subcontractor, etc.) this intermediary has to pass on the form to the producer. Completed form should be included as part of the offer. It is important that the information given here is correct, and it encouraged thoroughness when investigating whether the emission tests and other certificates meet the standards and emission limits BREEAM NOR sets. If in doubt you should use the manufacturer's own internal experts and laboratories and other agencies providing testing and certifications for this.

Products defined as resilient floor coverings, textile and laminate are:

- Vinyl
- Linoleum
- Carpet
- Laminate flooring

The completed form must be signed by a legally responsible person at the manufacturer

MANUFACTURER: Artigo SpA, Cairo Mtne, Italy

PRODUCTNAME: Smooth Rubber Resilient Floorcovering EN 1817 - EN 1816

ARTIGO KAYAR PRO ARTIGO UNI PRO

DOKUMENTATION			Yes, attached	No	Under preparation, completion (date)
REQUIREMENTS		Relevant standards			
1.	The product can be classified as E1 acc. test method EN 717-1:2004	EN 14041:2004	✓		Formaldehyde is not added to our products
2.	The product has an emission test which shows that the emissions of TVOC is below 0.2 mg/m2h ¹⁾	NS-EN 15251:2007 (attachment C)	✓		Yes, according to ISO 16000 series, AgBB (2012) and Finnish M1
3.	The product has an emission test which shows that the emissions of formaldehyde is less than 0.05 mg/m2h ¹⁾	NS-EN 15251:2007 (attachment C)	✓		Yes, Meets the limits as set by the AgBB Scheme (2012) and Finnish M1

4.	The product has an	NS-EN 15251:2007		
	emission test which shows	(attachment C)		Yes, Meets the limits
	that emissions of ammonia	,	✓	as set by the AgBB
	is less than 0.03 mg/m2h ¹⁾²⁾			Scheme (2012) adn
	i i i i i i i i i i i i i i i i i i i			Finnish M1
5.	The product has an	NS-EN 15251:2007		
	emission test which shows	(attachment C)		Yes, Meets the limits
	that emissions of		✓	as set by the AgBB
	carcinogenic compounds			Scheme (2012) and
	(IARC) is less than 0,005			Finnish M1
	mg/m2h ¹⁾			
6.	The product has a emission	NS-EN 15251:2007		
	test that shows that	(attachment C)		The product has not
	dissatisfaction with the odor		NA	been assessed
	is below 15%			
7.	The tests in paragraphs 2-6	ISO 16000		
	are performed acc. ISO			Yes, according to ISO
	16000 series with		✓	16000 series and
	measurements done after			AgBB Scheme
	28 days			
8.	Production of the product has			Yes, all of our
	according to ISO 14001 (or other third party			products are made
	certified environmental management system)		✓	within ISO 14001
				approved factories
10.	The product has an EPD (En			Yes, the products
	Declaration) prepared in accordance with ISO			have an ERFMI
	14025 or EN 15804		√	Generic EN 15804
				EPD for Smooth
				Rubber. Please see
				attached and also
				please see bau-
				umwelt.de

¹⁾ Note that the issues here are given in mg/m2h. Most states emission certificates issued in mg/m3. These are, in other words not immediately comparable. There are methods to convert these so that we can compare the results. Your laboratory can help you with this.

2) Note that M1 is the only emission labeling system where ammonia is included as one of the issues being

Check the left column if the following statements is correct for the product The product does not have a emission test that measures the emissions of ammonia, but undersigned can confirm 1) That ammonia is not traceable active in the product AND 2) The product does not contain substances that may cleave to ammonia

measured.

✓	Undersigned can confirm that the product is not added any materials containing formaldehyde during production or preparation after production. These can be classified as E1 without testing, See ISO 13986:2004 for detailed information.
✓	Undersigned can confirm the absence of regulated impregnating agents and that minimum requirements are met. (see EN 13986:2004 for details)
✓	Undersigned can confirm that the product does not contains substances which are BREEAM NOR checklist A20. The same checklist defines what valid evidence is.

Dr. Grillo Roberto	R&D Manager	09/06/2014
Signature	Position	Date

Artigo SpA