

VERSION: 1.0

In acc. with the requirements in BREEAM-NOR version 1.0 (14.03.2012)

FLOORING ADHESIVE

Self-declaration that the named products comply with the requirements for flooring adhesives as per BREEAM-NOR's chapter HEA 9

This form must be filled out by the MANUFACTURER of floor adhesives.

It is important that the information given here is correct, and we strongly encourage thoroughness in researching the extent to which emission testing and/or test reports show that the product complies with the standards and emission limit values required by BREEAM-NOR. If in doubt, the manufacturer should consult own internal and external experts. **Providing incorrect and misleading information can have legal consequences.**

Once filled-out, the form must be signed by a <u>legally responsible person</u> for the manufacturer, such as a technical director or a managing director.

MANUFACTURER: UZIN UTZ AG Dieselstrasse PRODUCT TRADE NAME: UZIN PE 630		3, D-89079 Ulm				
DOCUMENTATION The following YES NO Comments						
combinations of tests and approvals are accepted as documentation (1-2; OR 4-5; OR 6-12)				123		Comments
REQUIREMENTS		Relevant standards				
1.	this product has an E	he manufacturer can confirm that his product has an EC1 Plus EC1+), or an EC1 certificate.		Х		
2.	The manufacturer can confirm that this product does not contain any C3 carcinogens.			X		The use of carcinogenic substances is prohibited in products labelled with EMICODE.
3.a	This product has an emission test which shows that the emissions of ammonia are below 0,03 mg/m²h 1) 2)				Х	See 3b.



VERSION: 1.0

In acc. with the requirements in BREEAM-NOR version 1.0 (14.03.2012)

3.b	The product has no emission test measuring the ammonia emissions, but the undersigned can confirm: 1) That ammonia is not traceably active in the product, AND 2) The product does not contain chemicals that can decompose to ammonia.		Х	This product neither contains nor emits ammonia.
OR				
4.	The manufacturer can confirm that the product is M1-certified.			
5.	The product has undergone tests in acc. with the standards below, and absence of carcinogens and allergens can be confirmed: • EN 13999-1:2007 • EN 13999-2:2007 – VOC • EN 13999-3:2007 – Volatile aldehydes • EN 13999-4:2007 – Volatile diisocyanates	EN 13999-1 :2007 EN 13999-2:2007 EN 13999-3:2007 EN 13999-4:2007		
OR				
6.7.	The product has undergone an emission test which shows that its TVOC emission is below 0,2 mg/m²h ¹⁾²⁾ The product has undergone an emission test which shows that its formaldehyde emission is below	NS-EN 15251:2007 (Appendix C) NS-EN 15251:2007 (Appendix C)		
8.a	0,05 mg/m²h 1) 2) The product has undergone an emission test which shows that its ammonia emission is below 0,03 mg/m²h 1) 2)	NS-EN 15251:2007 (Appendix C)		
8.b	 The product has no emission test measuring the ammonia emissions, but the undersigned can confirm: 1) That ammonia is not traceably active in the product, <u>AND</u> 2) The product does not contain chemicals that can decompose to ammonia. 			
9.	The product has undergone an emission test which shows that its emissions of cancer-causing compounds (IARC) are below 0,005 mg/m²h ^{1) 2)}	NS-EN 15251:2007 (Appendix C)		

This form is developed by NCC in cooperation with Skanska. It is freely distributed via ProductXchange. Users of the form are solely responsible for ensuring that the version and contents of the form are correct. Neither NCC nor Skanska, nor ProductXchange can be held responsible for any possible errors. Filled-out forms are not an official approval from NCC, Skanska or ProductXchange.



VERSION: 1.0

In acc. with the requirements in BREEAM-NOR version 1.0 (14.03.2012)

	T			
10.	The product has undergone an	NS-EN		
	emission test which shows that	15251:2007		
	odour dissatisfaction is below 15%.	(Appendix C)		
	If deemed not applicable for the			
	product, please provide more			
	details in the comment field. 1)			
11.	The tests in points 6-10 have been	ISO 16000		
	performed in accordance with ISO			
	16000-series with measurements			
	made after 28 days.			
12	The product has undergone tests in	EN 13999-1 :2007		
	acc. with the standards below, and	EN 13999-2:2007		
	absence of carcinogens and	EN 13999-3:2007		
	allergens can be confirmed:	EN 13999-4:2007		
	• EN 13999-2:2007 – VOC			
	• EN 13999-3:2007 –			
	Volatile aldehydes			
	• EN 13999-4:2007 –			
	Volatile diisocyanates			

On www.ngbc.no under "Frequently asked questions" there is help in assessing different known emission certificates against the requirements in NS-EN 15251.

Legally responsible: Position: Date:

Dr. Michael Zieger Head of Product Safety Management 11.10.2019

This

Signature

This document is valid for 6 months from the date of issue. If it has expired or if you require further information, please contact produktsicherheit@uzin-utz.com.

Note that the emissions here are measured in mg/m²h. Most emission certificates use mg/m³. There is a way to convert these units in order to compare the results. Your preferred laboratory can help you with this.