

## Declaration of performance: No. CPR-NO1/0279

1. Unique identification code of the product-type: **DYNAMON XTEND**
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

### **HIGH RANGE WATER REDUCING/ SUPERPLASTICISING ADMIXTURES**

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Admixture for use in concrete according to EN 934-2:2009+A1:2012 (T.3.1 - 3.2)**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5): **MAPEI AS – Vallsetvegen 6, 2120 – Sagstua (Norway) [www.mapei.no](http://www.mapei.no)**
5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2): **Not applicable**
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: **System 2+**
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

**The Notified body Vattenfall Research and Development AB. No. 1274 performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 2+, and issued the certificate of conformity of the factory production control No. 1274-CPD-702.**

8. In the case the declaration of performance concerning a construction product for which a European Technical assessment has been issued: **Not applicable**
9. Declared performance


Essential characteristics	Performance	Harmonised technical specification
<b>Total chlorine:</b> <b>Alkali content:</b> <b>Corrosion behaviour:</b> <b>Dangerous substances:</b>	<b>≤ 0,05 % by mass</b> <b>≤ 2,5 % by mass</b> <b>Contains components only from EN 934-1:2008, Annex A.1</b> <b>see SDS</b>	<b>EN 934-2:2009+A1:2012 (T 3.1 – 3.2)</b>

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.



This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by: **Trond Hagerud – Managing Director**  
(name and function)

**Sagstua, 01/07/2013**  
(place and date of issue)

  
.....  
(signature)

CE MARKING according to CPR 305/2011 and EN 934-2:2009+A1:2012

 1274	 Vallsetvegen 6 – 2120 Sagstua (Norway) <a href="http://www.mapei.no">www.mapei.no</a>								
<p style="text-align: center;"><b>04</b> <b>CPR-NO1/0279</b> <b>EN 934-2:2009+A1:2012</b> <b>Dynamon XTEND</b></p> <p style="text-align: center;"><i>High range water reducing/ superplasticising admixtures</i> <i>EN 934-2, T 3.1 – 3.2</i></p> <table><tr><td>Total chlorine:</td><td>≤ 0,05 % by mass</td></tr><tr><td>Alkali content:</td><td>≤ 2,5 % by mass</td></tr><tr><td>Corrosion behaviour:</td><td>Contains components only from EN 934-1:2008, Annex A.1</td></tr><tr><td>Dangerous substances:</td><td>see SDS</td></tr></table>		Total chlorine:	≤ 0,05 % by mass	Alkali content:	≤ 2,5 % by mass	Corrosion behaviour:	Contains components only from EN 934-1:2008, Annex A.1	Dangerous substances:	see SDS
Total chlorine:	≤ 0,05 % by mass								
Alkali content:	≤ 2,5 % by mass								
Corrosion behaviour:	Contains components only from EN 934-1:2008, Annex A.1								
Dangerous substances:	see SDS								